

CATTARAUGUS COUNTY


DEPARTMENT OF PUBLIC WORKS

Development – Progress – Workmanship

*Kathleen M. Ellis
Commissioner*

*Vacant
Deputy Commissioner*

*Mark C. Burr, P.E.
Director of Engineering*



*Jack Ellis Drive
8810 Route 242
Little Valley, New York 14755
Phone (716) 938-9121
FAX (716) 938-2753*

TO: Potential Bidders

FROM: Cattaraugus County DPW

Date: July 5, 2018

RE: Addendum #1 – DPW Bid #46 – Relining of 3 Culverts on County Road 85

Below please find Addendum #1 for the above referenced project.

1. The Cured in Place Pipe (CIPP) shall incorporate the following design parameters:
 - Ovality of Pipe = 2%
 - Water table: at or below the invert
 - Cover: the maximum cover is noted in the plans
 - The existing Corrugated Metal Culverts should be considered fully deteriorated.
2. The following date changes shall be made to the specifications
 - Page C-1, Article 3. CONTRACT TIME October 31, 2018 shall be changed to December 31, 2018.
 - Page E-20 “Notice to Proceed” October 31, 2018 shall be changed to December 31, 2018.

INCLUDE THIS PAGE WITH YOUR BIDS, SIGNED AS PROOF OF RECEIPT.

If you have any questions, please contact Dawn Smith at (716) 938-9121 extension 2465.

THANK YOU,
YOURS TRULY,

Dawn Smith, Procurement Specialist DPW

I RECEIVED ADDENDUM #1 DATE: _____

SIGNED: _____ COMPANY: _____